



AGENDA

- 1. CALL TO ORDER BY MAYOR KEVIN COTTON**
- 2. PLEDGE OF ALLEGIANCE**
- 3. INVOCATION**
- 4. ROLL CALL**
- 5. APPROVAL OF MINUTES**
 - A. Minutes of November 21, 2022
- 6. APPROVAL OF BILLS AND PAYROLL**
 - A. Bills and Payroll
- 7. DEPARTMENT REPORTS**
 - A. Building Official Report
 - B. Planning & Zoning Report
 - C. Business License Report
- 8. NEW BUSINESS**
 - A. Resolutions
 - A. Resolution to accept bid for Fire Alarm System
 - B. Resolution to accept bid for bucket truck for Electric Department
 - B. Municipal Orders
 - A. Appointment of Jack Morris to the Ethics Board
 - B. Appointment of Susan Scholze to Tree Board
- 9. Presentation**
- 10. ADJOURNMENT**



MINUTES

1. CALL TO ORDER BY COUNCIL MEMBER FRANK STEVENSON

2. PLEDGE OF ALLEGIANCE

3. INVOCATION

Council Member Amy Cruz

4. ROLL CALL

Present: Council Member Misty Cavanaugh, Council Member Tony Space, Council Member Adam Townsend, Council Member Amy Cruz, Council Member Frank Stevenson, Council Member Chad Menser

Absent: Mayor Kevin Cotton

5. APPROVAL OF MINUTES

A. Minutes of November 7, 2022

RESULT: Approved

MOVER: Council Member Tony Space

SECONDER: Council Member Misty Cavanaugh

AYES: Misty Cavanaugh, Tony Space, Adam Townsend, Amy Cruz, Frank Stevenson, Chad Menser

NOES: None

ABSTAIN: None

6. APPROVAL OF BILLS AND PAYROLL

A. Bills and Payroll

A. Bills & Payroll

RESULT: Approved

MOVER: Council Member Adam Townsend

SECONDER: Council Member Tony Space

AYES: Misty Cavanaugh, Tony Space, Adam Townsend, Amy Cruz, Frank Stevenson, Chad Menser

NOES: None

ABSTAIN: None

7. DEPARTMENT REPORTS

- A. Fire Department Report
- B. Police Department Report

8. NEW BUSINESS

- A. Item for Discussion

- A. Tracy Logan offer of reconsideration

Motion to give Tracy Logan the right to pay \$4,000.00 for the property or the City will rebid the property and accept sealed bids.

RESULT: Approved.

MOVER: Council Member Chad Menser

SECONDER: Council Member Amy Cruz

AYES: Misty Cavanaugh, Tony Space, Adam Townsend, Amy Cruz, Frank Stevenson, Chad Menser

NOES: None

ABSTAIN: None

9. ADJOURNMENT

RESULT: Adjourn


MOVER: Council Member Adam Townsend

SECONDER: Council Member Tony Space

AYES: Misty Cavanaugh, Tony Space, Adam Townsend, Amy Cruz, Frank Stevenson, Chad Menser

NOES: None

ABSTAIN: None

	A	B	C	E	F
1			Bills and Payroll for Council Meeting 12/5/2022		
2	Co#	Bank#	Fund Name		
3	100	1	General Fund	\$ 176,663.65	
4				\$ 90,006.04	
5					
6					
7			Total General Fund	\$ 266,669.69	
8	190	7	Sanitation	\$ 69,824.85	
9					
10					
11					
12			Total Sanitation	\$ 69,824.85	
13	200	7	Electric/Utility Office	\$ 85,506.02	
14				\$ 4,358.05	
15					
16					
17			Total Electric/Utility Office	\$ 89,864.07	
18	210	6	Water and Filter	\$ 84,191.57	
19				\$ 76,047.82	
20					
21					
22			Total Water Filter	\$ 160,239.39	
23		7	Waste Water Collection and Treatment	\$ 30,599.62	
24				\$ 17,665.64	
25				\$ 54,180.00	
26					
27			Total Wastewater Collection and Treatment	\$ 102,445.26	
28					
29					
30	Co#	Dept #	Department Name	Amount	
31	100	Various	Governmental	\$ 56,713	
32	100	2100	Police	\$ 168,652	
33	100	2300	Fire	\$ 169,382	
34	100	3300	Transportation	\$ 38,573	
35	100	5000	Cemetery	\$ 9,082	
36	100	7000	Park	\$ 15,167	
37	190	3100	Sanitation	\$ 45,149	
38	200	1000/4500	Light Fund	\$ 90,696	
39	200	2000	Wastewater Treatment	\$ 17,766	
40	200	2001	Wastewater Collection	\$ 30,098	
41	200	4700/4600	Water and Filter	\$ 52,325	
42			Total Payroll	\$ 693,600	
43					
44					
45					
46					
47					
48					
49					
50			Number of Employees paid November 23, 2022		
51			See next page		

CMP	DEPT	NAME	DATE	TOTAL	FULL	PART
100	1100	ELECTED OFFICIALS	11/23/22	7	1	6
100	1200	ADMINISTRATION	11/23/22	11	10	1
100	1400	FINANCE	11/23/22	5	5	
100	1500	CITY CLERK	11/23/22	4	4	
100	1600	AIRPORT	11/23/22	4	4	
100	1700	ZONING	11/23/22	2	2	
100	2100	POLICE DEPT-MADISONVILLE	11/23/22	52	46	6
100	2150	POLICE FICA	11/23/22	7	2	5
100	2151	DISPATCH	11/23/22	12	12	
100	2200	ALCOHOLIC BEVERAGE CONTROL	11/23/22	1		1
100	2300	FIRE DEPT-MADISONVILLE	11/23/22	65	65	
100	2350	FIRE FICA/NON HAZARDOUS	11/23/22	1	1	
100	3300	TRANSPORTATION DEPT	11/23/22	28	22	6
100	5000	CEMETERY DEPARTMENT	11/23/22	7	7	
100	7000	PARK DEPARTMENT	11/23/22	12	10	2
100	7200	MAHR PARK	11/23/22	9	7	2
190	3100	SANITATION DEPARTMENT	11/23/22	23	23	
200	1000	UTILITY OFFICE	11/23/22	15	15	
200	4500	LIGHT DISTRIBUTION DEPT	11/23/22	20	20	
210	2000	WASTEWATER TREATMENT	11/23/22	7	7	
210	2001	WASTEWATER COLLECTION	11/23/22	18	18	
210	2002	ENGINEERING & STORMWATER	11/23/22	5	5	
211	4600	FILTER DEPARTMENT	11/23/22	12	12	
211	4700	WATER DEPARTMENT	11/23/22	17	17	
Totals				344	315	29

CMP	DEPT	NAME	REGULAR	OVERTIME	SPC-OVT	TOTAL
100	1100	ELECTED OFFICIALS	4,912.22	.00	.00	4,912.22
100	1200	ADMINISTRATION	25,289.38	252.72	.00	25,542.10
100	1400	FINANCE	13,010.48	.00	.00	13,010.48
100	1500	CITY CLERK	7,920.54	.00	.00	7,920.54
100	1700	ZONING	4,103.23	.00	.00	4,103.23
100	1900	CITY ENGINEER	.00	.00	.00	.00
100	2200	ALCOHOLIC BEVERAGE	1,224.00	.00	.00	1,224.00
		Total Government	56,459.85	252.72	.00	56,712.57
100	2100	POLICE DEPT-MADISO	143,582.38	18,400.38	.00	161,982.76
100	2150	POLICE FICA	6,218.62	450.93	.00	6,669.55
		Total Police	149,801.00	18,851.31	.00	168,652.31
100	2300	FIRE DEPT-MADISONV	121,056.09	46,236.63	439.17	167,731.89
100	2350	FIRE FICA/NON HAZA	1,636.50	13.26	.00	1,649.76
		Total Fire	122,692.59	46,249.89	439.17	169,381.65
100	3300	TRANSPORTATION DEP	37,873.42	699.23	.00	38,572.65
		Total Transportati	37,873.42	699.23	.00	38,572.65
100	5000	CEMETERY DEPARTMEN	8,987.02	94.50	.00	9,081.52
		Total Cemetery	8,987.02	94.50	.00	9,081.52
100	7000	PARK DEPARTMENT	14,989.19	177.45	.00	15,166.64
100	7100	POOL EMPLOYEES	.00	.00	.00	.00
		Total Park	14,989.19	177.45	.00	15,166.64
190	3100	SANITATION DEPARTM	43,481.79	1,666.77	.00	45,148.56
		Total Sanitation	43,481.79	1,666.77	.00	45,148.56
200	1000	UTILITY OFFICE	27,197.90	67.62	.00	27,265.52
200	1001	METER READING	.00	.00	.00	.00
200	4500	LIGHT DISTRIBUTION	61,590.31	1,840.02	.00	63,430.33
		Total Utility Offi	88,788.21	1,907.64	.00	90,695.85
210	2000	WASTEWATER TREATME	17,503.17	262.79	.00	17,765.96
210	2001	WASTEWATER COLLECT	29,605.95	491.57	.00	30,097.52
		Total Wastewater T	47,109.12	754.36	.00	47,863.48
211	4600	FILTER DEPARTMENT	20,386.45	1,702.13	.00	22,088.58
211	4700	WATER DEPARTMENT	29,479.97	756.02	.00	30,235.99
		Total Water	49,866.42	2,458.15	.00	52,324.57
		Grand Totals	620,048.61	73,112.02	439.17	693,599.80

CMP	DEPT	NAME	REGULAR	OVERTIME	SPC-OVT	TOTAL
100	1100	ELECTED OFFICIALS	.00	.00	.00	.00
100	1200	ADMINISTRATION	300.25	9.00	.00	309.25
100	1400	FINANCE	80.00	.00	.00	80.00
100	1500	CITY CLERK	78.01	.00	.00	78.01
100	1700	ZONING	98.00	.00	.00	98.00
100	1900	CITY ENGINEER	.00	.00	.00	.00
100	2200	ALCOHOLIC BEVERAGE	.00	.00	.00	.00
		Total Government	556.26	9.00	.00	565.26
100	2100	POLICE DEPT-MADISO	4,202.25	399.00	.00	4,601.25
100	2150	POLICE FICA	316.75	14.00	.00	330.75
		Total Police	4,519.00	413.00	.00	4,932.00
100	2300	FIRE DEPT-MADISONV	5,686.00	2,033.50	14.25	7,733.75
100	2350	FIRE FICA/NON HAZA	81.25	.50	.00	81.75
		Total Fire	5,767.25	2,034.00	14.25	7,815.50
100	3300	TRANSPORTATION DEP	2,232.25	28.75	.00	2,261.00
		Total Transportati	2,232.25	28.75	.00	2,261.00
100	5000	CEMETERY DEPARTMEN	486.51	5.99	.00	492.50
		Total Cemetery	486.51	5.99	.00	492.50
100	7000	PARK DEPARTMENT	590.50	8.75	.00	599.25
100	7100	POOL EMPLOYEES	.00	.00	.00	.00
		Total Park	590.50	8.75	.00	599.25
190	3100	SANITATION DEPARTM	1,856.00	45.00	.00	1,901.00
		Total Sanitation	1,856.00	45.00	.00	1,901.00
200	1000	UTILITY OFFICE	968.25	2.75	.00	971.00
200	1001	METER READING	.00	.00	.00	.00
200	4500	LIGHT DISTRIBUTION	1,538.82	31.25	.00	1,570.07
		Total Utility Offi	2,507.07	34.00	.00	2,541.07
210	2000	WASTEWATER TREATME	531.75	7.75	.00	539.50
210	2001	WASTEWATER COLLECT	1,435.00	17.25	.00	1,452.25
		Total Wastewater T	1,966.75	25.00	.00	1,991.75
211	4600	FILTER DEPARTMENT	950.75	54.00	.00	1,004.75
211	4700	WATER DEPARTMENT	1,249.21	21.75	.00	1,270.96
		Total Water	2,199.96	75.75	.00	2,275.71
		Grand Totals	22,681.55	2,679.24	14.25	25,375.04

City of Madisonville
Building Project Update
Office of the Building Official

- Stop and GO on South Main-Complete pending sign
- Purity Zinc on Nebo Road- 95% complete pending equipment installs
- Madisonville Garage Door Ministorage- 100% Complete
- Animal Medical Clinic- Complete pending CO
- Sports Plex- Utilities and foundations currently being installed
- Berry Global Addition- Pending final inspection
- Okaloosa Apartments- Foundations being installed
- Mid-Town Apartments- Pending site approval
- Belleview Apartments- Building permit issued pending site work
- Ahlstrom GFT Plant- Building shell 90% complete working on MP& E
- New O'Reilly's Auto parts- CO issued pending opening in 1-2 weeks
- Practitioners Touch- Open and CO issued
- Huck' North- CO issued
- Huck's South- pending final
- Lakewood Addition- 2 more SFD under Construction
- Greystone Subdivision- Phase 1 90% complete, 1st lot sale pending
- Old Pizza Hut- Pending site plan for new development
- Dunkin South Main- Pending Site and Architectural plans submittal
- West Noel Ave 2 duplexes- Pending final inspection
- 160 Ruby Wright Concrete- Permit issued for new office building and showroom
- Ruby Junction- Pending PUD and site plan and approval, pending building plans submission
- Grapevine Lake Restrooms- Complete CO issued
- Airport Helicopter Hangar- interior framing underway.
- MFD Training Center Station 4- Notice to proceed and awarded contract pending permit approval

ZONING & PERMIT OFFICE

MONTHLY ACTIVITY REPORT

November 2022

BUILDING PERMITS	CONSTRUCTION COST	# PERMITS ISSUED	FEES COLLECTED
Type of Construction			
New Residential/SFD	\$470,000	4	*\$574
Duplex	\$0	0	\$0
Multi-Family	\$2,500,000	1	\$1,446
Residential Addition	\$0	0	\$0
Residential Accessory	\$36,172	3	\$75
Residential Alteration	\$0	0	\$0
New Commercial	\$0	0	\$0
Commercial Addition	\$0	0	\$0
Commercial Accessory	\$0	0	\$0
Commercial Alteration	\$80,000	1	\$675
New Industrial	\$0	0	\$0
Industrial Additon	\$0	0	\$0
Industrial Accessory	\$0	0	\$0
Industrial Alteration	\$0	0	\$0
Other	\$0	0	\$0
TOTAL BUILDILNG PERMITS	\$3,086,172	9	\$2,770

SIGN PERMITS		2	\$250
Name	Location		
Dollar General Store/Dollar General Store	3604 Hanson Rd		
Car-Mart/Ron Worthington-Ken's Signs	342 South Main St		

DEMOLITION PERMITS		1	**\$0
Name	Location		
James Edward Eaves Jr/Steve Pleasant Excavating	Off East Noel Ave 00000		

HVAC PERMITS		3	\$2,665
Name	Location		
Ahlstrom Filtration/Mechanical Consultants	1020 Pride Avenue		
Brad Giffin	1123 - 1125 West Noel Ave		
Brad Giffin	1127 - 1129 West Noel Ave		

CHANGE OF USE PERMITS		0	\$0
Name	Location		

ZONING MAP/TEXT AMENDMENTS		0	\$0
Name	Location		

		# PERMITS ISSUED	FEES COLLECTED
ZONING COMPLIANCE REQUESTS		0	\$0
<i>Name</i>	<i>Location</i>		
DIMENSIONAL VARIANCE		0	\$0
<i>Name</i>	<i>Location</i>		
CONDITIONAL USE		0	\$0
<i>Name</i>	<i>Location</i>		
UTILITY REQUESTS		0	\$0
<i>Name</i>	<i>Location</i>		
MISCELLANEOUS/ADDITIONAL FEES		1	\$575
<i>Name</i>	<i>Location</i>		
Ahlstrom-Monksjo/Fire Alarm Plan Review	1020 Pride Ave		
COA'S (Historic District Commission)		0	N/A
<i>Name</i>	<i>Location</i>		
SPECIAL USE PERMITS (Outside Sales)		0	N/A
<i>Name</i>	<i>Location</i>		
MOBILE FOOD VENDOR PERMIT		0	\$0
<i>Name</i>	<i>Location</i>		
ACTIVITY TOTAL FOR THE MONTH		16	\$6,260

*Fees Waived for BP # 7199_754 Hopewell Street & BP # 7200_153 North Church Street_Habitat for Humanity-Pennyrile Region--per City of Madisonville.

**Fees Waived for Demolition Permit # 653_Off East Noel Avenue 00000_Steve Pleasant Excavating_per City of Madisonville.

ZONING & PERMIT OFFICE

YTD ACTIVITY REPORT

JULY 2022 - NOVEMBER 2022

<i>BUILDING PERMITS</i>	<i>CONSTRUCTION COST</i>	<i># PERMITS ISSUED</i>	<i>FEES COLLECTED</i>
Type of Construction			
New Residential/SFD	\$2,185,000	12	\$3,202
Duplex	\$0	0	\$0
Multi-Family	\$2,500,000	1	\$1,446
Residential Addition	\$18,000	4	\$271
Residential Accessory	\$167,138	16	\$554
Residential Alteration	\$192,000	2	\$303
New Commercial	\$830,000	3	\$1,900
Commercial Addition	\$2,400	1	\$204
Commercial Accessory	\$8,500	3	\$312
Commercial Alteration	\$300,000	3	\$1,417
New Industrial	\$0	0	\$0
Industrial Additon	\$0	0	\$0
Industrial Accessory	\$0	0	\$0
Industrial Alteration	\$0	0	\$0
Other	\$0	0	\$0
<i>TOTAL BUILDILNG PERMITS</i>	\$6,203,038	45	\$9,609
<i>SIGN PERMITS</i>		8	\$925
<i>DEMOLITION PERMITS</i>		6	\$65
<i>HVAC PERMITS</i>		10	\$62,811
<i>CHANGE OF USE PERMITS</i>		0	\$0
<i>ZONING MAP/TEXT AMENDMENTS</i>		3	\$500
<i>ZONING COMPLIANCE REQUESTS</i>		4	\$100
<i>DIMENSIONAL VARIANCE PERMITS</i>		2	\$200
<i>CONDITIONAL USE PERMITS</i>		3	\$300
<i>UTILITY REQUESTS</i>		0	\$0
<i>MISCELLANEOUS/ADDITIONAL FEES</i>		2	\$1,114
<i>COA's</i> (Historic District Commission)		1	N/A
<i>SPECIAL USE PERMITS</i> (Outside Sales)		0	N/A
<i>MOBILE FOOD VENDOR PERMITS</i>		6	\$600
<i>YEAR TO DATE TOTAL</i>		90	\$76,224

Prepared by: Bonnie Smith, Zoning Administrative Assistant

START-DT NAMEDBA

11/01/22	C.H GARMONG & SON	GARMONG CONSTRUCTION SERVICES
11/02/22	SCOTT ADAMS	ZULUSCAPE,LLC
11/21/22	TRI STAR TRANSPORT LLC	DBA PREMIER SIGN COMPANY
11/01/22	KENNETH R JONES	KEN'S SIGNS
11/01/22	T A GADDIS SERVICES	
11/02/22	FLOYD JOSHUA	FLOYD'S HEATING AND AIR, LLC
11/03/22	TIEAMANTE COOK	RENEW DETAILING AND AUTO SOLUTIONS
11/01/22	JHCL HOLDINGS,LLC	JOE HUDSON'S COLLISION CENTER
11/05/22	ERICK BRUCE	MARSHAL'S TOTES
11/14/22	JOSHUA PERRY	THE FOOD AFFAIR LLC
11/09/22	CODY SCOTT	DBA GAS MONEY PRINTING CO.
11/09/22	TRISHA CRABTREE	SPECIAL 1 DESIGN
11/10/22	KEVIN CLARK	DBA CLARK PALLETS
11/10/22	BRA'SHYIA PEYTON	WE CLASH LLC
11/14/22	BRANDI HUGHES	BRANDI HUGHES-SHELTER INSURANCE
11/15/22	ELIZABETH SCHWEIZER	SCHWEIZERCRAFT, LLC
11/15/22	MEGAN LITTLEPAGE	TWISTED DYE COMPANY
11/23/22	ASHLEY SOUTHERLAND	`TIS SO SWEET BAKERY
11/28/22	MICHELLE LINK-PRESIDENT	MAXIMUS SERVICES LLC
11/28/22	CELESTINE T HARPER	PLUGGED IN TECH SHOP
11/15/22	MELANIE RENA MCCLOUD	MMHH,LLC
11/01/22	ERIC LOGAN	GET SET GO HEALTH & WELLNESS COMPAN

**City of Madisonville
Resolution No. 2022-53**

Resolution to Accept Bids for Fire Alarm Systems

WHEREAS, the City of Madisonville opened bids for Fire Alarm Systems for Station 2, Station 3 and Station 4 on November 15, 2022 at 10:00 a.m.; and

WHEREAS, the City of Madisonville received two bids as follows:

Name	Station 2	Station 3	Station 4	Total bid
Alpha Energy	\$17,155.00	\$19,785.00	\$27,460.00	\$64,400.00
Premier	\$16,850.00	\$17,750.00	\$21,350.00	\$55,950.00

WHEREAS, the City of Madisonville received bids on Station 2, Station 3 and Station 4 from Alpha Energy and Premier. Premier was the lowest bid for each station and met all specifications that were required.

WHEREAS, the bids for each one came in a little higher than expected, the City of Madisonville rejects the bids for Station 2 from Alpha Energy and Premier.

WHEREAS, the City of Madisonville accepts the bids for Station 3 in the amount of \$17,750.00 and the bid of Station 4 in the amount of 21,350.00 from Premier.

NOW THEREFORE, BE IT RESOLVED that the City Council accepts the bid for Station 3 and Station 4 in the total amount \$39,100.00.

City of Madisonville, KY

Bid Opening – Fire Alarm Systems

Date of Bid Opening: 11/15/2022

Time of Bid Opening: 10:00 am local time

Location of Bid Opening: 67 N Main St, Madisonville, KY 42431

Name	Station 2	Station 3	Station 4	Total Bid
Alpha Energy	17155. ⁰⁰	19785. ⁰⁰	27,460. ⁰⁰	64400. ⁰⁰
Premer	16850. ⁰⁰	19,750. ⁰⁰	21,350. ⁰⁰	55950. ⁰⁰

PROPOSAL

Alpha Energy Solutions

7200 Distribution Drive

Louisville, KY 40258-2827

Voice-888-212-6324 Fax-866-296-8035

Web Site-www.alphamechanicalservice.com

November 8, 2022

E-mail- jeff.morrison@aamservice.com

To: City of Madisonville

Attn: Frank Wallace

Location: Madisonville, KY

Job Name: 99 East Mc Laughlin Fire Alarm Replacement

Estimating Job Number: 964164

We are pleased to propose the following for your approval:

Scope of work:

The scope of work for this project is limited to the following:

- Alpha to provide and install a new standalone Kidde Fire Alarm system. The system will be non-proprietary with central monitoring.
- Included field sketch showing locations of the panel and field devices. Once approved formal shop drawings and permit will be submitted.
- Alpha and subcontractor to provide and install all necessary cabling, electrical components including conduit, boxes and auto dialers.
- 1-year warranty.
- Site training will be provided for the new system.
- First year monitoring included.

Exclusion:

- No overtime. All work to be performed during normal business hours, Monday through Friday, 7:00am – 3:30pm.
- Customer must make Alpha aware of any present asbestos prior to start of service/work.
- Not responsible for asbestos abatement or removal.

We propose hereby to furnish material and labor -- complete in accordance with these specifications, for the sum of:

Seventeen Thousand One Hundred Fifty Five Dollars and 00/100 [\$17,155.00]

Payable as follows: FOR PROJECTS WITH A QUOTED PRICE OF \$20,000.00 OR MORE, UPON EXECUTION OF PROPOSAL, ALPHA MECHANICAL SERVICE, INC WILL REQUIRE A 50% DEPOSIT TO COVER MOBILIZATION AND PROCUREMENT OF MATERIALS. UPON COMPLETION OF JOB, ALPHA MECHANICAL SERVICE, INC. WILL REQUIRE THE REMAINDER TO BE PAID WITHIN 30 DAYS.

All material is guaranteed to be as specified. **Material pricing may change due to market volatility.** All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our controls. Owner to carry fire, tornado, and other necessary insurance. We are fully covered by General Liability and Workman's Compensation Insurance. **This proposal may be withdrawn by us if not accepted within 7 days.**

Warranty: The customer should be made aware that any warranty work completed by Alpha Energy Solutions will be billed direct to the customer upon completion. ALPHA ENERGY SOLUTIONS will file necessary paperwork with the manufacturer/warranty company, etc. When ALPHA ENERGY SOLUTIONS receives credit from the manufacturer/warranty company for the part(s) that are covered under warranty, this credit will be passed to the customer as a credit memo on their account. Credits to the customers may not offset what was originally invoiced to the customer, and therefore the customer is responsible for any amounts above the credit given by the manufacturer/warranty company.

Authorized Signature _____

Authorized Signature Jeff Morrison

Name: N/A

Phone:

Title:

Name: Jeff Morrison

Phone: 270.791.5750


Title: Regional Sales

Acceptance of this proposal – The price, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. Please sign and return or fax.

Signature: _____ Date: _____ P.O. # _____

99 E. McLaughlin

McDisonville ED Station



PROPOSAL

Alpha Energy Solutions

7200 Distribution Drive

Louisville, KY 40258-2827

Voice-888-212-6324 Fax-866-296-8035

Web Site-www.alphamechanicalservice.com

November 8, 2022

E-mail- jeff.morrison@aamservice.com

To: City of Madisonville

Attn: Frank Wallace

Location: Madisonville, KY

Job Name: 810 Industrial Court Fire Alarm Replacement

Estimating Job Number: 964166

We are pleased to propose the following for your approval:

Scope of work:

The scope of work for this project is limited to the following:

- Alpha to provide and install a new standalone Kidde Fire Alarm system. The system will be non-proprietary with central monitoring.
- Included field sketch showing locations of the panel and field devices. Once approved formal shop drawings and permit will be submitted.
- Alpha and subcontractor to provide and install all necessary cabling, electrical components including conduit, boxes and auto dialers.
- 1-year warranty.
- Site training will be provided for the new system.
- First Year Monitoring included.

Exclusion:

- No overtime. All work to be performed during normal business hours, Monday through Friday, 7:00am – 3:30pm.
- Customer must make Alpha aware of any present asbestos prior to start of service/work.
- Not responsible for asbestos abatement or removal.

We propose hereby to furnish material and labor – complete in accordance with these specifications, for the sum of:

Nineteen Thousand Seven Hundred Eighty-Five Dollars and 00/100 [\$19,785.00]

Payable as follows: FOR PROJECTS WITH A QUOTED PRICE OF \$20,000.00 OR MORE, UPON EXECUTION OF PROPOSAL, ALPHA MECHANICAL SERVICE, INC WILL REQUIRE A 50% DEPOSIT TO COVER MOBILIZATION AND PROCUREMENT OF MATERIALS. UPON COMPLETION OF JOB, ALPHA MECHANICAL SERVICE, INC. WILL REQUIRE THE REMAINDER TO BE PAID WITHIN 30 DAYS.

All material is guaranteed to be as specified. **Material pricing may change due to market volatility.** All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our controls. Owner to carry fire, tornado, and other necessary insurance. We are fully covered by General Liability and Workman's Compensation Insurance. **This proposal may be withdrawn by us if not accepted within 7 days.**

Warranty: The customer should be made aware that any warranty work completed by Alpha Energy Solutions will be billed direct to the customer upon completion. ALPHA ENERGY SOLUTIONS will file necessary paperwork with the manufacturer/warranty company, etc. When ALPHA ENERGY SOLUTIONS receives credit from the manufacturer/warranty company for the part(s) that are covered under warranty, this credit will be passed to the customer as a credit memo on their account. Credits to the customers may not offset what was originally invoiced to the customer, and therefore the customer is responsible for any amounts above the credit given by the manufacturer/warranty company.

Authorized Signature _____

Name: N/A

Phone:

Title:

Authorized Signature Jeff Morrison

Name: Jeff Morrison


Phone: 270.791.5750

Title: Regional Sales

Acceptance of this proposal – The price, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. Please sign and return or fax.

Signature: _____ Date: _____ P.O. # _____

810 Industrial Court



PROPOSAL

Alpha Energy Solutions

7200 Distribution Drive

Louisville, KY 40258-2827

Voice-888-212-6324 Fax-866-296-8035

Web Site-www.alphamechanicalservice.com

E-mail- jeff.morrison@aamservice.com

November 8, 2022

To: City of Madisonville

Attn: Frank Wallace

Location: Madisonville, KY

Job Name: 5000 Hanson Road Fire Alarm Replacement

Estimating Job Number: 964167

We are pleased to propose the following for your approval:

Scope of work:

The scope of work for this project is limited to the following:

- Alpha to provide and install a new standalone Kidde Fire Alarm system. The system will be non-proprietary with central monitoring.
- Included field sketch showing locations of the panel and field devices. Once approved formal shop drawings and permit will be submitted.
- Alpha and subcontractor to provide and install all necessary cabling, electrical components including conduit, boxes and auto dialers.
- 1-year warranty.
- Site training will be provided for the new system.
- First Year Monitoring included.

Exclusion:

- No overtime. All work to be performed during normal business hours, Monday through Friday, 7:00am – 3:30pm.
- Customer must make Alpha aware of any present asbestos prior to start of service/work.
- Not responsible for asbestos abatement or removal.

We propose hereby to furnish material and labor – complete in accordance with these specifications, for the sum of:

Twenty Seven Thousand Four Hundred Sixty Dollars and 00/100 [\$27,460.00]

Payable as follows: FOR PROJECTS WITH A QUOTED PRICE OF \$20,000.00 OR MORE, UPON EXECUTION OF PROPOSAL, ALPHA MECHANICAL SERVICE, INC WILL REQUIRE A 50% DEPOSIT TO COVER MOBILIZATION AND PROCUREMENT OF MATERIALS. UPON COMPLETION OF JOB, ALPHA MECHANICAL SERVICE, INC. WILL REQUIRE THE REMAINDER TO BE PAID WITHIN 30 DAYS.

All material is guaranteed to be as specified. **Material pricing may change due to market volatility.** All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our controls. Owner to carry fire, tornado, and other necessary insurance. We are fully covered by General Liability and Workman's Compensation Insurance. **This proposal may be withdrawn by us if not accepted within 7 days.**

Warranty: The customer should be made aware that any warranty work completed by Alpha Energy Solutions will be billed direct to the customer upon completion. ALPHA ENERGY SOLUTIONS will file necessary paperwork with the manufacturer/warranty company, etc. When ALPHA ENERGY SOLUTIONS receives credit from the manufacturer/warranty company for the part(s) that are covered under warranty, this credit will be passed to the customer as a credit memo on their account. Credits to the customers may not offset what was originally invoiced to the customer, and therefore the customer is responsible for any amounts above the credit given by the manufacturer/warranty company.

Authorized Signature _____

Authorized Signature Jeff Morrison

Name: N/A

Name: Jeff Morrison

Phone:

Phone: 270.791.5750

Title:

Title: Regional Sales

Acceptance of this proposal – The price, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. Please sign and return or fax.

Signature: _____ Date: _____ P.O. # _____

5000 HANSON RD

MADISONVILLE FIRE DEPARTMENT STATION #4
EVACUATION ROUTES



Protecting LIVES and PROPERTY
PREMIER
FIRE & SECURITY
POWERED BY **API Group**

1251 North 6th St
Paducah KY 42001

(270) 443-7060

P O Box 1037
Paducah, KY 42002

November 15, 2022

To: City of Madisonville

Re: Fire Station 2, 3 & 4 Fire Alarm Systems

Premier Fire & Security, Inc. proposes the following systems:

- Fire Alarm: To furnish devices, control panels, and installation labor for the installation of the Fire Alarm System according to the project specifications. All 120vac circuits, conduit and back boxes to be provided by Premier Fire. All final start-up and certification documents/testing will be provided. All shop/as-built drawings and project management will also be provided.

99 East McLaughlin (Station #2) Price:	\$ 16,850.00
810 Industrial Court (Station #3) Price:	\$ 17,750.00
5000 Hanson Road (Station #4) Price:	\$ 21,350.00
Total Project Price:	\$ 55,950.00

Clarifications/Assumptions:

- 1) All work to be performed during normal business hours, Monday thru Friday, 7am to 4pm.
- 2) All necessary pathways (J-Hooks, conduits, flex, t-bars) and boxes for the installation of the above described systems shall be provided and installed by Premier Fire.
- 3) Electrical and Surge Protection for the above described systems is included in the price above.
- 4) All new equipment and labor to have a 1-Year warranty excluding abuse and acts of nature.
- 5) Price does not include the cost of any COVID testing, vaccination mandates, or other COVID related impacts not outlined in the solicitation/bid documents or mandated as of the date of the proposal.

Sincerely,
Todd Sexton
Premier Fire & Security

www.premierfire.net

Fire Sprinklers • Fire & Security Alarms • Fire Extinguishers • Special Hazards Systems • Data/Voice • Monitoring
Paducah, KY • Charleston, SC • Effingham, IL • Cape Girardeau, MO

**City of Madisonville
Resolution No. 2022-54**

Resolution to Accept Bids for Bucket Truck for Electric Department

WHEREAS, the City of Madisonville opened bids for a 55 ft. bucket truck with utility body for the electric department on December 2, 2022 at 10:30 a.m.; and

WHEREAS, the City of Madisonville received one bid as follows:

Name	Bid	Trade In allowance
Altec	\$353,911.87	\$30,000.00 - \$323,911.87

WHEREAS, the City of Madisonville received one bid from in the amount of Altec in the amount of \$353,911.87. Altec also had a trade in allowance of \$30,000.00 which would drop the bid to \$323,911.87. Altec was the only bid received and met all specifications that were required. Delivery date is estimated 58-61 months.

NOW THEREFORE, BE IT RESOLVED that the City Council accepts the bid of \$353911.87 to Altec.

City of Madisonville, KY

Bid Opening – Electric Bucket Truck

Date of Bid Opening: 12/2/2022

Time of Bid Opening: 10:30 am local time

Location of Bid Opening: 67 N Main St, Madisonville, KY 42431

Name	Total Bid
Altec	353,911.87 - with 30,000.00 Trade In
	\$323,911.87



November 30, 2022
Our 93rd Year

Ship To:

CITY OF MADISONVILLE (KY)
ALTEC ALABAMA SVC CNTR
1730 VANDERBILT RD
BIRMINGHAM, AL 35234
US

Bill To:

CITY OF MADISONVILLE (KY)
609 MCCOY AVE
MADISONVILLE, KY 42431
United States

Attn:
Phone:
Email:

Altec Quotation Number: 1297437 - 1
Account Manager: Josh C Smith
Technical Sales Rep: Zachery Johnson

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	<u>Unit</u>		
1.	Altec Model AA55E Articulating Non-Overcenter Aerial Device with a fiberglass upper boom and fiberglass insulator in the lower boom and a proportional joystick upper control and toggle switches. Built in accordance to ALTEC's standard specifications and to include the following features: A. Ground to Bottom of Platform Height: 55.1 ft at 10.0 ft from centerline of rotation (16.8 m at 3 m) B. Working Height: 60.1 ft (18.3 m) C. Maximum reach to edge of platform: 43.1 ft at 28.6 ft platform height (13.1 m at 8.7 m) D. Rotation: Continuous E. Upper Boom Articulation: 0 to 173 degrees. Insulator provides a minimum of 162 in (411 cm) of isolation. F. Lower Boom Articulation: 0 to 120 degrees. Insulator provides a minimum of 24 in (610 mm) of isolation. G. Lower Boom Stow Protection: To help prevent excessive down pressure by boom structures when stowing. H. The Altec ISO-Grip System (U.S. Patent No. 7,416,053) includes the following boom tip components that can provide an additional layer of secondary electrical contact protection. This is not a primary protection system. Control Handle is a single handle controller incorporating high electrical resistance components that is dielectrically tested to 40 kV AC with no more than 400 microampers of leakage. The control handle is green in color to differentiate it from other non-tested controllers. The handle also includes an interlock guard that reduces the potential for inadvertent boom operation. Auxiliary control covers are non-tested blue silicon covers. The control console in non-tested non-metallic control console plate. The boom tip covers are non-tested non-metallic and are not dielectrically tested, but they may provide some protection against electrical hazards. I. Lower Controls: A lower control station is located on the curb side of the turntable with the control valves under a protective cover. A selector valve at the lower control station is provided to override the upper controls. J. Platform Leveling System: The platform is leveled by a single leveling chains with	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	fiberglass rods in lower and upper boom, designed to maintain the dielectric integrity of the aerial device. Controls for tilting the platform are located at the platform. The mechanism for tilting the platform includes one dual acting cylinder incorporating counterbalance load holding valves to lock the platform in the event of hydraulic line failure.		
K.	Control Purging System: The hydraulic system contains a continuous automatic purge feature, which provides for oil flow through the control system, to eliminate trapped air. This feature is operational any time the selector at the lower controls is in the upper control position and the pump is operating.		
L.	Diagnostic Pressure Test Quick Disconnect Couplings: are located at the turntable to allow a mobile service technician to quickly and easily attach a test gauge to verify system and tool circuit pressure. This convenient troubleshooting feature saves time and reduces the risk of high pressure oil sprays.		
M.	Upper Boom Compensation: Hydraulically compensated upper boom controlled through the main control valve pilot system. Booms are compensated from upper controls with the ability to independently control the upper boom. From lower controls the booms can be operated individually without compensation. A non-overcenter system monitors the position of the upper boom and when activated disables both the pilot system and main boom spools.		
N.	Unit meets or exceeds ANSI 92.2 standards.		
2.	375 - Automatic stow system	1	
3.	211PE- One One-Man, 24x30x42, 90 Degree Rotator, 24" Vertical Lift, Side Mount Hydraulic extended Jib/Winch	1	
4.	258 - Platform liner 24x30, 50 kV rating (minimum)	1	
5.	297 Outrigger control valves with tool circuit, contains four spools that control each outrigger and a fifth spool to control tool function. Hydraulic tool circuit includes one set of quick disconnect couplings, installed at tailshelf to supply 8.0 gpm and 2,000 psi to operate either open or closed center tools.	1	
6.	Electric Over Hydraulic Outrigger Controls	1	
7.	315 Engine start/stop with Secondary Stowage System, 12 VDC electric powered. Includes auxiliary pump and electric motor, powered by the chassis battery. Control is captive air operated from the platform and toggle switch operated from the lower controls. This option allows the operator to completely stow the booms and platform in a situation wherein the engine, PTO or pump fails.	1	
8.	Category C, Category B Pre-Wire, Coaxial	1	
9.	460 - Outrigger X-Frame with flat shoe - 172.8 inch max spread	1	
10.	460 - Outrigger X-Frame with flat shoe - 172.8 inch max spread	1	
11.	Custom unit color (specify color code). Safety yellow.	1	
12.	Custom Above Rotation Color Safety yellow.	1	
13.	Custom Pedestal/Tower Color	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	Safety yellow. Include pedestal socket.		
<u>Unit & Hydraulic Acc.</u>			
14.	Scuff Pad 24 x 30 With Step For Use With Platform Liner (U&H Acc)	1	
15.	Platform Cover, 24 x 30, Soft Vinyl, Aerial Units	1	
16.	Jib Adapter For A 4 Square Jib 4 way roller attachment	1	
17.	Swivel Hook For Winch Load Line, Material Handling, 1-Ton With Latch, Aerials	1	
18.	AA/AN/E/E-OC Subbase	1	
19.	Temperature Sight Gauge (FA Supplied)	1	
20.	Hydraulic Reservoir, 30 Gallon, Triangular Mounted in Cargo Area, Sight/Temperature Gauge without Tank Heater Mounted on street side between turret and side of body wall.	1	
21.	HVI-22 Hydraulic Oil (Standard)	38	
22.	Standard Pump for PTO	1	
23.	Muncie PTO	1	
24.	Hot Shift PTO (for Automatic Transmission)	1	
25.	Standard Altec PTO/Transmission Functionality with Park Brake Auto Neutral for Allison Automatic Transmissions: -Once the PTO switch is on, the Parking Brake is engaged, and the transmission is in a near stationary condition (i.e., below 5 mph) the transmission will be forced to neutral, and PTO will engage.	1	
26.	Standard Parking Brake Machine Interlock: Parking (holding) brake must be set before machine is operable.	1	
27.	Altec recommends any connection made to the tool circuit be done with Non-Conductive hose. If ordering a Hose reel, Altec recommends ordering a hose reel with Non-Conductive hose. The lower tool circuit hoses may be, or become, conductive. Death or serious injury could occur if the unit becomes energized while lower tool circuit is in use.	1	
28.	Install Tool Circuit With Quick Disconnects Below Rotation (Male Pressure Female Return), No Hose Reel Install curb side of tailshelf	1	
29.	Utility Hydraulic Tool Custom Option 1 Hilti battery operated 12-ton hydraulic compression tool with Kearney head -NCR 120-22	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
30.	Utility Hydraulic Tool Custom Option 2 Two (2) batteries -B 22-85 Li-ion Nuron	2	
31.	Utility Hydraulic Tool Custom Option 3 Battery charger -C4-22 115v	1	
32.	Utility Hydraulic Tool Custom Option 4 Hilti 22v cordless impact driver with 7/16 hex chuck -#SID8-A22	1	
33.	Flow Divider, Optional for Variable Tool Control - for installation of tools at tailshelf	1	
34.	AA/AN50/55 Series Unit Installation Components	1	
<u>Body</u>			
35.	Altec Body	1	
36.	Steel Body	1	
37.	Body Is To Be Built In Accordance With The Following Altec Standard Specifications: A. Basic Body Fabricated From A40 Grade 100% Zinc Alloy Coated Steel. B. All Doors Are Full, Double Paneled, Self-Sealed With Built-In Drainage For Maximum Weather-Tightness. Stainless Steel Hinge Rods Extend Full Length Of Door. C. Heavy-Gauge Welded Steel Frame Construction. D. Integrated Door Header Drip Rail At Top For Maximum Weather Protection. E. Fender Panels Are Either Roll Formed Or Have Neoprene Fenderettes Mechanically Fastened. F. Steel Treated For Improved Primer Bond And Rust Resistance. G. Automotive Type Non-Porous Door Seals Fastened To The Door Facing. H. B-Line Channel Installed In Compartments	1	
38.	Smooth Galvanneal Steel Floor	1	
39.	Aerial Service Line With Step (ASLS)	1	
40.	Finish Paint Body Altec White	1	
41.	Undercoat Body	1	
42.	160" Estimated Body Length (Engineering To Determine Final Length)	1	
43.	94" Body Width	1	
44.	46" Body Compartment Height	1	
45.	18" Body Compartment Depth	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
46.	5.5 Inch Drop-In Wood Cargo Retaining Board At Rear Of Body	1	
47.	5.5 Inch Drop-In Wood Cargo Retaining Board At Top Of Side Access Step	1	
48.	Custom Body Compartment Top Surface	1	
	Treadplate on street side and curb side compartment tops (Not a walking surface).		
49.	Adhesive Strip Lighting (LED) Around Top And Sides Of Compartment Door Facings	9	
50.	Stainless Steel Rotary Paddle Latches With Keyed Locks	9	
51.	All Locks Keyed Alike Including Accessories (Preferred Option)	1	
52.	Standard Master Body Locking System	9	
53.	Gas Prop Rigid Door Holders On All Vertical Doors	1	
54.	Chains On All Horizontal Doors	1	
55.	Two Chock Holders On Each Side of Body With Retaining Lip In Fender Panel	1	
56.	Hotstick Shelf Extending From Rear Of First Vertical To Rear Of Body On Streetside	1	
57.	Large Side Hinged Hotstick Door For Multiple Shelves On Streetside (Hinged Toward Cargo Area), Stainless Steel Slam Paddle Latch With Keyed Lock	1	
58.	1st Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2	
59.	1st Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	3	
60.	1st Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2	
61.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2	
62.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	4	
63.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2	
64.	3rd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2	
65.	3rd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	4	
66.	3rd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2	
67.	1st Horizontal (SS) - Fixed Shelf Extending Through Rear Vertical	3	
68.	Rear Vertical (SS) - Fixed Shelf With No Dividers	1	
	Between bottom of bin and bottom through shelf		
69.	Rear Vertical (SS) - Outrigger Housing, With Outrigger Pin Access As Needed	1	
	As far forward in compartment as possible.		
70.	Rear Vertical (SS) - Custom Miscellaneous Body Option	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	To have a rear access door approximately 19 1/2" high x 14 1/2" wide for access from rear of the truck		
71.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	1	
72.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	3	
73.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	1	
74.	1st Vertical (CS) - Inverter Storage Inside Of Body Compartment With Guard And Provisions For Remote GFCI Receptacle (Mounted On Top Shelf Unless Otherwise Specified)	1	
	Installed at the top of body 1st vertical bin curb side.		
75.	2nd Vertical (CS) - Gripstrut (Preferred) Access Steps w/ Two (2) Sloped Grab Handles, Chain Storage (Keyed Lock)	1	
	Vented chainsaw storage		
76.	3rd Vertical (CS) - Adjustable Shelf With Removable Dividers On 4" Centers	2	
77.	3rd Vertical (CS) - 4" High Drawer Kit On Slides, As Wide As Possible, Latched	3	
	Egg crate style on 2" centers		
78.	1st Horizontal (CS) - Adjustable Shelf With Removable Dividers On 4" Centers	2	
79.	1st Horizontal (CS) - Fixed Shelf With Removable Dividers On 4 Inch Centers On Bottom of Compartment	1	
80.	Rear Vertical (CS) - Adjustable Shelf With Removable Dividers On 4" Centers	3	
81.	Rear Vertical (CS) - Outrigger Housing, With Outrigger Pin Access As Needed	1	
	As far forward as possible		
82.	Aluminum Rock Guards Installed Each Front Corner Of Body	1	
83.	24" L Steel Tailshelf, Width To Match Body	1	
84.	3" Fixed Steel Retaining Rail On Sides And Rear Of Tailshelf With Corner Wash-Out	1	
	light panels reference 3184-242-26		
85.	Steel Cross Storage Located Between Tailshelf Floor And Top Of Chassis Frame Rail, With Drop Down Doors And Keyed Latches On Streetside And Curbside, As Wide As Possible	1	
86.	Platform Rest Socket Installed On Rear Of Tailshelf	1	
87.	Smooth Galvanneal Steel Tailshelf	1	
88.	Custom Steel Ladder Storage	1	
	Ladder Rack Full length of SS compartments Flat W/ Back Stop Steel Roller At Rear, Retaining Brackets, Strap. 21 In Clear Int. Width. Top Mounted Flush At Rear Of Body,		

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	Overhung Toward Cargo Area -Street side compartment tops. -The front 36" is to be 6" high.		
89.	Additional Steel Top Opening Storage Box Steel Top Opening Storage Box, One (1) Treadplate Lid, Gas Props, Hasp Lock, Handle Parallel To Ground And Centered (2 Handles for Boxes Greater Than 108 Inches) -24" x 24" x 57" installed behind cab between street side and curbside first vertical.	1	
90.	Additional Steel Top Opening Storage Box Steel Top Opening Storage Box, One (1) Treadplate Lid, Gas Props, Hasp Lock, Handle Parallel To Ground And Centered (2 Handles for Boxes Greater Than 108 Inches) -Mounted off center towards the front of truck 18"x18"x72" installed on top of curbside of body . Start box 12" from rear of body. the lid needs to be fully operable with platform in stowed position	1	
91.	Additional Body Option Wire holder installed streetside middle of bins starting from storage box toward hydraulic tank, constructed of flat bar with a mid span support bar, to allow wire rolls of minimum of 6" thick to be stored. Approximately 45" Length x 7.5" deep and body height	1	
92.	Additional Body Option Vented box to house 1800 watt inverter install curbside first vertical. Accessible from cargo area. -Non skid the top	1	
<u>Body and Chassis Accessories</u>			
93.	Dock Bumpers (Pair), Rectangular, installed at Rear Frame Rail at the furthest point back	1	
94.	Set of Safety Chain D-Rings	1	
95.	Swivel Style Pintle Hitch (30 000 LB MGTW with 6 000 LB MVL), 11-Bolt T-Mount, Altec Preferred (T-125 Style), D-Rings, Dock Bumper, 4X2/6X4 26" +/- 1" from ground	1	
96.	ICC Underride Protection	1	
97.	Eyebolt for Trailer Breakaway Cable, 3/8 Inch	1	
98.	Cab Guard, Mounted on Front Bumper Install with tow eyes. - Include grab handles and access steps to cab guard. - Do not notch at front. - Expanded metal	1	
99.	Rear Window Guard, 62 L x 20 H, typically mounted to Boom Rest	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
100.	Cable Step Installed at Rear, Double Step with Rigid Top Step Install street side and curbside at tailshelf. Use gussets to reinforce cable steps and light channel.	2	
101.	Install Interim (Toe) Step(s) at Rear As Needed	2	
102.	Rigid Step, Mounted Beneath Side Access Steps (Installed to Extend Approx. 2 Outward)	1	
103.	Compartment Top Access Step from Body Floor	1	
104.	Small Grab Handle Installed at Rear Bolt on	2	
105.	U-Shaped Grab Handle One on each side at rear not to exceed 8"H from the top of retaining rail.	2	
106.	Mounting Brackets for Lights, Located on Lower Boom Rest	1	
107.	Lower Boom Rest	1	
108.	Lower Boom Rest Cradle, Large Aerials	1	
109.	Platform Rest, Rigid with Rubber Tube	1	
110.	Plastic Outrigger Pad 24 x 24 x 1 with Handle (Dica)	4	
111.	Outrigger Pad Holder, 25 L x 25 W x 5 H Fits 24.5 x 24.5 x 4 and Smaller Pads Bolt-On Bottom, Washout Holes with 3/4 Inch Lip Retainer, Steel On SS under 1st and 2nd verticals side by side -CS under 1st and 3rd verticals	4	
112.	Pendulum Retainers for Outrigger Pad Holders	4	
113.	Outrigger Control Guards, Underhung Tailshelf Mount (Altec Preferred)	1	
114.	Wheel Chocks Rubber with Metal Hairpin Handle 9.75 L x 7.75 W x 5 H (Pair) (Altec Preferred)	1	
115.	Mud Flaps without Altec Logo (Pair) Caple-Shaw #161030	1	
116.	Fold Over, Post Style Cone Holder (Holds up to four 15 x15 large cones) Install on front bumper. side by side centered on bumper. -Install inside of headlights. -Not to obstruct lights.	1	
117.	PVC Canister Kit Option 1 Custom Length PVC Canister Kit, 8" DIA Pipe, With Aluminum Cap, Door And Mounting	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	U-Bolts -41" long. Install on streetside cargo wall one on top of each other. Must be able to open lids without being obstructed by tailboard. -Mount as low as possible.		
118.	10 LB Fire Extinguisher with Heavy Duty Bracket Installed Per DEPS 042 (Amerex #B456) Install on streetside outrigger	1	
119.	Harness And Lanyard Option 1 One 3M™ DBI-SALA□ ExoFit™ XP Arc Flash Cross-Over Harness, Dorsal/Front Web Loops 1110872, X-Large	1	
120.	Harness And Lanyard Option 2 One 3M™ DBI-SALA□ ExoFit™ XP Arc Flash Cross-Over Harness, Dorsal/Front Web Loops 1110870, Medium	1	
121.	Harness And Lanyard Option 3 Two 3M™ DBI-SALA□ EZ-Stop™ II Shock Absorbing Lanyard	2	
122.	Triangular Reflector Kit (Contains 3 Reflectors), Shipped Per DEPS 042	1	
123.	Slope Indicator Assembly (Pair) for Machine with Outrigger	1	
124.	Vinyl Manual Pouch for Storage of All Operator and Parts Manuals	1	
125.	Vise Mounting Bracket, 2 Square Tube Vertical Receiver Type with 8 x 8 Mounting Plate Install on rear curbside of tailshelf	1	
126.	Additional Body/Chassis Accessory Wire reel holder for two reels 12" x 4" each weighing 25lbs. Installed rear of unit on platform rest support. Two metal rods, one across from the other, protruding one towards streetside and one toward curbside from platform rest.	1	
127.	Additional Body/Chassis Accessory Wilton 1755N vise mount on vise bracket on CS of tailshelf	1	
<u>Electrical Accessories</u>			
128.	Compartment Lights Wired To Dash Mounted Master Switch	1	
129.	Lights And Reflectors In Accordance With FMVSS 108 (Complete LED)	1	
130.	4-Corner Strokes, Amber, LED, Two (2) Round Lights In Front Corners Of Cab Guard, Two (2) Round Lights At Rear, Class II (Permit May Be Required) Two (2) mounted at the rear, one facing the street side and one facing the curb side. -Two (2) mounted to the cab guard at the front of the truck, one facing street side and one facing curb side	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
131.	Strobe Lights Wired Battery Hot	1	
132.	Cab Mounted Light Bar Option Code 3 Defender amber/white DF47A71H	1	
133.	Spot Light, LED, With Chrome Housing, 6 Inch DIA, Permanent Mount (Unity #AG-R-8547) Install underslung on square channel near rear corners. Install one on each side of cab guard. -Must be mounted on channeling not expanded metal.	2	
134.	Flood Light, LED, with Black Housing, 6 DIA x 9 H Install on back of boom support to illuminate cargo area	1	
135.	Auxiliary Lighting Wired Battery Hot	1	
136.	Dual Tone Backup Alarm With Outrigger Motion Alarm	1	
137.	Altec Standard Multi-Point Grounding System	7	
138.	Grounding Reel, Automatic Retracting, Hannay #SGCR 10-17-19 - Holds #2 GA, #1/0 GA (Max 75 Ft) Or #2/0 GA Cable (Max 65 Ft). Install curbside of tailshelf. To pay out to the rear.	1	
139.	Grounding Cable, #2/0 GA, Yellow Jacketed (Specify Length In Feet)	50	
140.	Grounding Lug, Copper, U-Shaped, Threaded Install on curbside front and rear	2	
141.	Grounding Clamp, Aluminum C-Clamp Style With Serrated Jaws (Includes Ferrule And Heat Shrink Tubing), #2/0 GA Cable	1	
142.	Altec Backup Camera System, 7 Inch Color LCD Monitor, Heated Infrared Camera With Day/Night Sensor And Audio Install in rear retainer with reinforced treadplate guard around it. A. 7 Inch Color LCD Monitor With LED Backlighting And Proximity Indicators B. 2 Inputs With Independent Triggers C. Heated Infrared Camera With Day/Night Sensor And Audio D. Mirror/Normal View E. IP68 Rated F. Wide Viewing Angle (104 Degrees Horizontal x 78 Degrees Vertical) G. 20 Meter Cable Assembly	1	
143.	PTO Hour Meter, Analog, With 10 000 Hour Display	1	
144.	Trailer Receptacle, 7-Way (Blade Type) Installed At Rear	1	
145.	Altec Modular Panel System (AMPS) - Includes Mounting Panel And Accessory Switches	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
146.	Inverter, 1800 Watt, Pure Sine Wave, 120 VAC (Sensata #12/1800N) Install in vented box on top of CS compartment top	1	
147.	Inverter Wired Ignition Hot To Switch Mounted In Chassis Cab	1	
148.	Electrical Receptacle, 120 Volt, GFCI, Includes Weather-Resistant Enclosure Install one front of body curbside and one at rear on curbside of tailshelf. -Be sure front receptacle box is mounted outside the body to avoid interference with the shelves and hooks adjustability	2	
149.	12 Volt Electrical Receptacle(s) Wired Ignition Hot	1	
150.	Pre-Wire Power Distribution Module 10 is a Compact Self-Contained Electronic System that Provides a Standardized Interface with the Chassis Electrical System	1	
151.	Install Remote Engine Start/Stop System In Final Assembly	1	
152.	Install Secondary Stowage System In Final Assembly	1	
153.	Install Outrigger Interlock System In Final Assembly	1	
154.	PTO Indicator Light, Installed In Cab	1	
<u>Finishing Details</u>			
155.	Front and Rear Frame Mounted and Under Body Mounted Components (With the Exception of Rust Resistant Components) Will Be Painted Black DEPS 005 DEPS 095 (Includes Non OEM Front Bumpers and Cabguards)	1	
156.	Custom Above Rotation Color Safety yellow.	1	
157.	Custom Pedestal Color Safety yellow.	1	
158.	Custom Color Knuckle Safety yellow	1	
159.	Finish Paint Body Accessories Above Body Floor Altec White	1	
160.	Apply Non-Skid Coating (Black) to All Walking Surfaces DEPS 057	1	
161.	Apply Non-Skid Coating (Black) to Cargo Area Walls	1	
162.	Safety and Instructional Decals English	1	
163.	Vehicle Height Placard Installed In Cab DEPS 002	1	
164.	HVI-22 Hydraulic Oil Placard	1	
165.	DOT Certification Required	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	City of Madisonville		
166.	Dielectric Test Unit According to ANSI Requirements	1	
167.	Stability Test Unit According to ANSI Requirements	1	
168.	Focus Factory Build	1	
169.	Delivery Of Completed Unit	1	
170.	Inbound Freight	1	
171.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1	
172.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1	
173.	Additional Finishing Detail	1	
	Vehicle weight: Unit shall not exceed 80% on any axle rating after completion. The stated weights will include all mounted equipment, fuel load and three (3) passengers at 200 lbs, per passenger. Unit shall be certified at a DOT weight station showing each axle weight and a total aerial weight. Should any axle exceed the 80% value, a ten (10) dollar per pound penalty will be imposed, up to 90% of the axle rating. Thereafter, unit is subject to refusal and cancellation		
	<u>Chassis</u>		
174.	Altec Supplied Chassis	1	
175.	Chassis	1	
176.	Other Chassis Model Year 2028	1	
177.	International MV607	1	
178.	Dual Rear Wheel	1	
179.	Set Back Axle	1	
180.	4x2	1	
181.	Chassis Cab	1	
182.	Regular Cab	1	
183.	Chassis Color - White NAV9036	1	
184.	Air Horn Under Cab	1	
185.	Low-Profile Hood	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
186.	AM/FM Radio	1	
187.	Block Heater	1	
188.	Driver Controlled Locking Differential	1	
189.	Fiberglass Tilting Hood	1	
190.	Air Conditioning	1	
191.	Cruise Control	1	
192.	Keyless Entry	1	
193.	Power Door Locks	1	
194.	Power Windows	1	
195.	Tachometer	1	
196.	Tilt Steering Wheel	1	
197.	Tinted Windshield	1	
198.	120 Clear CA (Round To Next Whole Number)	1	
199.	Chassis Wheelbase Length - 181 inch	1	
200.	Other Chassis GVWR 35,000	1	
201.	12,000 LBS Front GAWR	1	
202.	07BKP - International Exhaust (Right-Horizontal-Undercab-Horizontal) (Cummins Engine Only)	1	
203.	21,000 LBS Rear GAWR	1	
204.	120,000 Yield Strength (PSI)	1	
205.	Spring Suspension	1	
206.	Cummins B6.7	1	
207.	Diesel	1	
208.	250 HP Engine Rating	1	
209.	Allison 3500 RDS Automatic Transmission (Left and Right Side PTO Openings Only)	1	
210.	15SXJ - International 50 Gallon Fuel Tank Non-Polished (Under Cab Left Hand)	1	
211.	15WCN - International 5 Gallon DEF Tank (Under Cab Left Hand)	1	
212.	Clean Idle Certification	1	

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
213.	CARB Compliant	1	
214.	11R22.5 Front Tire	1	
215.	12R22.5 Rear Tire	1	
	Goodyear G177		
216.	Air Brakes	1	
217.	Park Brake In Rear Wheels	1	
218.	Single Alternator (220 amp Minimum)	1	
219.	2 Chassis Batteries	1	
220.	1800 CCA Minimum (Preferred With Two Batteries)	1	
221.	Battery Under Cab Left Hand	1	
222.	12XBM - International PTO Throttle Wiring For Cummins B6.7 and L9	1	
223.	16XJV - International Dash Cutout for Switch Panel	1	
224.	International - Disallow Regen while in PTO mode (13WEV)	1	
225.	International Heavy Duty Tail Light Wiring (08HAB)	1	
226.	International Transmission Dipstick Tube Enters Curbside of Transmission (13WGH)	1	
227.	International - Pre-Wire Chassis with Cab Pass-Thru (8HBE)	1	
228.	Vinyl Full Bench Seat	1	
	Passenger seat to have storage underneath		
229.	Vinyl Bucket Seat	1	
	Drivers seat		

Additional Pricing

230.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1	
------	---	---	--

Miscellaneous

231.	Ext Warranty, Travel, Labor, Material and Expense, 2 Year Total (1 Year Extended), Category 3	1	
232.	Custom Chassis Extended Warranty	1	

{Navistar} Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>Price</u>
	<u>Trade-In</u>		
233.	Trade-In #1	1	\$0.00
	2016 International Bucket Truck with Altec model AA55 boom. VIN # 3HAMMAAR3GL750719 Boom #0415FH1892 Model # AA55 1 platform 350 lb. capacity Engine - Diesel, 7.6 liter International 4300SBA Miles - 24,916 Approximate used daily PTO Hours - 2794 Approximate used daily Engine Hours 4735 Automatic transmission Full Line Body . Contact Madisonville Electric Dept. @ 270-824-2130 to inspect the unit		

Unit / Body / Chassis Total	353,911.87
FET Total	0.00
Total	353,911.87

Altec Industries, Inc.

BY

Zachery Johnson

Notes:

1 Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date.

For a quoted chassis model year beyond the current open order bank, chassis model year, specifications and price should be considered estimates only and subject to change. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM.

2 Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort to focus on safety, we would encourage you to consider the following items:

- Outrigger pads (When Applicable)
- Fall Protection System
- Fire extinguisher/DOT kit
- Platform Liner (When Applicable)

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

Altec Sentry Training
Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options with an item number in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quote version sent to you. These options must be listed with an item number in the quotation for them to be supplied by Altec.

- 3 The final fully loaded weight of the truck and structural ratings of the hitch assembly may reduce the towing capacity and the vertical load capacity of the finished truck. These capacities may not match the ratings of the chassis or hitch.

- 4 Altec Extended Warranty Option:

An Altec Extended Warranty is an extension of Altec's Limited Warranty and protects you from the repair cost associated with defects of materials and workmanship after the standard Limited Warranty expires.

Altec offers many types of coverages and coverage packages. Ask your Altec account manager for details. Quotes are available upon request.

- 5 Unless otherwise noted, all measurements used in this quote are based on a 40 inch (1016mm) chassis frame height and standard cab height for standard configurations.

- 6 Altec Standard Warranty:

One (1) year parts warranty.

One (1) year labor warranty.

Ninety (90) days warranty for travel charges.

Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.

Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts

Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards

- 7 Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with regulations in effect at time of invoicing.

- 8 F.O.B. - Customer Site

- 9 Altec values your data privacy. The Altec Family of Companies (including Altec, Inc., and its subsidiaries) may collect telematics data from the equipment you own. Please review Altec's Equipment Data Privacy Notice on www.altec.com for more information. By purchasing equipment from Altec, you consent to Altec's

We Wish To Thank You For Giving Us The Pleasure
And Opportunity of Serving You

UTILITY EQUIPMENT AND BODIES SINCE 1929

right to collect and use such data.

- 10 Interest charge of 1/2% per month to be added for late payment.
- 11 Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.
- 12 Trade-in offer is conditional upon equipment being maintained to DOT (Department of Transportation) operating and safety standards and remaining in compliance of DOT until arrival at an Altec Facility. This will include, but is not limited to engine, tires, lights, brakes, glass, etc. All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with unit unless otherwise agreed upon in writing by both parties. ALTEC Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.
- All reasonable and necessary expenses required of ALTEC Industries to execute transportation of the trade-in will be invoiced to the customer for payment if these conditions are not met to maintain DOT standards.
- Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time ALTEC Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order unless other arrangements have been made.
- 13 Any payment made by a credit card may be subject to a surcharge fee.
- 14 Estimated Delivery: 58-61 months after receipt of order PROVIDING:
A. Customer supplied chassis is received a minimum of sixty (60) days before scheduled delivery.
B. Customer approval drawings are returned by requested date.
C. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.
D. Customer expectations are accurately captured prior to major components being ordered (body, chassis) and line set date. Unexpected additions or changes made after this time or at a customer inspection will delay the delivery of the vehicle.
- Estimated Delivery is based on information at time of quote and is subject to change.
- Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.
- 15 After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.
- 16 This quotation is valid until JAN 02,2023. After this date, please contact Altec Industries, Inc. for a possible extension.
- 17 FINANCING AVAILABLE: Please contact Altec Capital at (888) 408-8148 or email finance@altec.com for more information.
- 18 Please direct all questions to Josh C Smith at (540) 992-5300

**CITY OF MADISONVILLE MUNICIPAL
ORDER NO. 2022-12**

IN RE: APPOINTMENT OF JACK MORRIS TO THE CITY OF MADISONVILLE BOARD OF ETHICS

IT SHALL BE AND HEREBY IS ORDERED BY THE CITY COUNCIL OF THE CITY OF MADISONVILLE, KENTUCY AS FOLLOWS:

1. That Jack Morris is appointed to the City of Madisonville Board of Ethics;
2. That the term of Jack Morris shall be for three (3) years and ending December 5, 2025.
3. That Jack Morris shall serve in accordance with the Laws of the United States of America and the Commonwealth of Kentucky, and the ordinances of the City of Madisonville.
4. That this order shall become effective December 5, 2022.

**CITY OF MADISONVILLE
MUNICIPAL ORDER NO. 2022-13**

IN RE: APPOINTMENT OF SUSAN SCHOLZE TO THE TREE BOARD

IT SHALL BE AND HEREBY IS ORDERED BY THE CITY COUNCIL OF THE CITY OF MADISONVILLE, KENTUCY AS FOLLOWS:

1. That Susan Scholze shall be, and is, appointed to the Tree Board;
2. That the term of Susan Scholze shall be for three (3) years and ending December 5, 2025.
3. That Susan Scholze shall serve in accordance with the Laws of the United States of America and the Commonwealth of Kentucky, and the ordinances of the City of Madisonville.